





















Company:Guangzhou Bestry Co.,Ltd  
Co-extrusion wood plastic composite profiles

**Sumuchang.com**  
Ideal outdoor decking, wall panel

Phone/WhasApp/Wechat:+86 13922213449

Contact:Mark Chen Email:woodedtech@gmail.com

Address:Building 4,Make Industry Area,NO.19 Junma Road,Dongchong town,Nansha,Guangzhou,China

NO.	Profile	Width(mm)	Thickness(mm)	Width(inch)	Thickness(inch)	Cad(mm)	Pic
1	GD13823	138	23	5.43	0.91		
2	GD13823皮厚	138	23	5.43	0.91		
3	GD13823-2	138	23	5.43	0.91		
4	GD13823-3	138	23	5.43	0.91		
5	GD13825	138	25	5.43	0.98		
6	GD14023	140	23	5.51	0.91		
7	GD14030	140	30	5.51	1.18		
8	GD14521	145	21	5.71	0.83		
9	GD14622	146	22	5.75	0.87		
10	GD13820	138	20	5.43	0.79		





















Company:Guangzhou Bestry Co.,Ltd  
Co-extrusion wood plastic composite profiles

**Sumuchang.com**  
Ideal outdoor decking, wall panel

Phone/WhasApp/Wechat:+86 13922213449

Contact:Mark Chen Email:woodedtech@gmail.com

Address:Building 4,Make Industry Area,NO.19 Junma Road,Dongchong town,Nansha,Guangzhou,China

NO.	Profile	Width(mm)	Thickness(mm)	Width(inch)	Thickness(inch)	Cad(mm)	Pic
11	GD13822.5S	138	22.5	5.43	0.89		
12	GD14020S	140	20	5.51	0.79		
13	GD14023S	140	23	5.51	0.91		
14	GD14025S	140	25	5.51	0.98		
15	GD14530S	145	30	5.71	1.18		
16	GT6810.5	68	10.5	2.68	0.41		
17	GT70.510	70.5	10	2.78	0.39		
18	GB7111	71	11	2.80	0.43		
19	GT7520.5	75	20.5	2.95	0.81		
20	GB10015	100	15	3.94	0.59		





















Company:Guangzhou Bestry Co.,Ltd  
Co-extrusion wood plastic composite profiles

**Sumuchang.com**  
Ideal outdoor decking, wall panel

Phone/WhasApp/Wechat:+86 13922213449

Contact:Mark Chen Email:woodedtech@gmail.com

Address:Building 4,Make Industry Area,NO.19 Junma Road,Dongchong town,Nansha,Guangzhou,China

NO.	Profile	Width(mm)	Thickness(mm)	Width(inch)	Thickness(inch)	Cad(mm)	Pic
21	GB13810	138	10	5.43	0.39		
22	GB18016	180	16	7.09	0.63		
23	GQ14212	142	12	5.59	0.47		
24	GQ14520.5	145	20	5.71	0.79		
25	GQ17618	176	18	6.93	0.71		
26	GQ13523	138	23	5.43	0.91		
27	GQ21728	217	28	8.54	1.10		
28	GQ22725	227	25	8.94	0.98		
29	GQ178.530	178.5	30	7.03	1.18		
30	GT5732	57	32	2.24	1.26		





















Company:Guangzhou Bestry Co.,Ltd  
Co-extrusion wood plastic composite profiles

**Sumuchang.com**  
Ideal outdoor decking, wall panel

Phone/WhasApp/Wechat:+86 13922213449

Contact:Mark Chen Email:woodedtech@gmail.com

Address:Building 4,Make Industry Area,NO.19 Junma Road,Dongchong town,Nansha,Guangzhou,China

NO.	Profile	Width(mm)	Thickness(mm)	Width(inch)	Thickness(inch)	Cad(mm)	Pic
31	GL5050	50	50	1.97	1.97		
32	GL9550	95	50	3.74	1.97		
33	GL16080	160	80	6.30	3.15		
34	GL120120	120	120	4.72	4.72		
35	GL150150	150	150	5.91	5.91		
36	GL9050	90	50	3.54	1.97		
37	GL110110	110	110	4.33	4.33		
38	GL9024.5	90	24.5	3.54	0.96		
39	GL17024	170	24	6.69	0.94		
40	GL166166	166	166	6.54	6.54		

Company:Guangzhou Bstry Co.,Ltd  
Co-extrusion wood plastic composite profiles

**Sumuchang.com**  
Ideal outdoor decking, wall panel

Phone/WhasApp/Wechat:+86 13922213449

Contact:Mark Chen Email:woodedtech@gmail.com

Adress:Building 4,Make Industry Area,NO.19 Junma Road,Dongchong town,Nansha,Guangzhou,China

NO.	Profile	Width(mm)	Thickness(mm)	Width(inch)	Thickness(inch)	Cad(mm)	Pic
41	GL21050	210	50	8.27	1.97		
42	GT4040	40	40	1.57	1.57		
43	GT5050	50	50	1.97	1.97		